

RECEIVED  
CENTRAL FAX CENTER

SEP 28 2006

**AMENDMENTS TO CLAIMS**

Claims 1-13 (Canceled)

Claim 14 (Previously Presented): A method for making a color image comprising:

- (1) imagewise exposing to laser radiation a laserable assemblage comprising:
  - (A) a donor element comprising a thermally imageable layer, wherein the thermally imageable layer comprises a colorant and a crosslinkable binder having a number average molecular weight of about 10,000 to about 70,000; and
  - (B) a receiver element comprising:
    - (a) a receiver support; and
    - (b) an image receiving layer provided on the surface of the receiver support, wherein the image receiving layer comprises a crosslinkable binder having a number average molecular weight of about 1,500 to about 70,000,whereby the exposed areas of the thermally imageable layer are transferred to the receiver element to form a colorant-containing image on the image receiving layer; and
- (2) separating the donor element (A) from the receiver element (B), thereby revealing the colorant-containing image on the image receiving layer of the receiver element.

Claims 15 – 16 (Canceled)

Claim 17 (Previously Presented): The method of Claim 14 further comprising:

- (3) applying the colorant-containing image on the image receiving layer of the receiver element to a permanent substrate, and removing the receiver

Application No.: 10/511,856  
Docket No.: CL1936USPCT

Page 3

support to transfer the colorant-containing image on the image receiving layer to the permanent substrate.

Claim 18 (Original): The method of Claim 17 wherein the applying is by lamination.

Claim 19 (Previously Presented): The method of Claim 18 wherein the receiver support is a flexible substrate.

Claim 20 (Previously Presented): The method of Claim 17 wherein the permanent substrate comprises a glass substrate.

Claim 21 (Previously Presented): The method of Claim 20 wherein the glass substrate is treated with adhesives or siloxane coupling agents.

Claim 22 (Previously Presented): The method of Claim 17 wherein the permanent substrate comprises a rigid plastic substrate.

Claim 23 (Previously Presented): The method of Claim 22 wherein the rigid plastic substrate comprises polycarbonate.

Claim 24 (Canceled)

Claim 25 (Previously Presented): The method of Claim 17 further comprising:  
(4) applying a planarizing layer to the image on the permanent substrate.

Claim 26 (Original): The method of Claim 25 wherein the applying is by lamination.

Claim 27 (Canceled)

Application No.: 10/511,856

Docket No.: CL1936USPCT

Page 4

Claim 28 (Previously Presented): The method of Claim 25 wherein the planarizing layer comprises a crosslinkable binder having a weight average molecular weight of about 20,000 to about 110,000.

Claim 29 (Canceled)

Claim 30 (Currently amended): A method for making a color image comprising:

- (1) imagewise exposing to laser radiation a laserable assemblage comprising:
  - (A) a donor element having a thermally imageable layer comprising a colorant and a crosslinkable binder having a number average molecular weight of about 10,000 to about 70,000; and
  - (C) a permanent substrate comprising a glass substrate treated with adhesives or siloxane coupling agents, whereby the exposed areas of the thermally imageable layer are transferred to the permanent substrate to form a colorant-containing image on the permanent substrate; and
- (2) separating the donor element (A) from the permanent substrate (C), thereby revealing the colorant-containing image on the permanent substrate; and
- (3) applying a planarizing layer to the colorant-containing image on the permanent substrate.

Claim 31 (Canceled)

Claim 32 (Canceled)

Claim 33 (Currently amended): The method of Claim ~~34~~ 30 wherein the glass substrate supports a pre-formed black mask pattern.

Application No.: 10/511,856  
Docket No.: CL1936USPCT

Page 5

**Claim 34 (Previously Presented):** The method of Claim 33 wherein the glass substrate that supports a pre-formed black mask pattern is treated with adhesives or siloxane coupling agents.

**Claim 35 (Previously Presented):** The method of Claim 34 further comprising applying an image-receiving layer.

**Claim 36 (Currently amended):** The method of Claim ~~36~~ 30 further comprising applying an image receiving layer.

**Claim 37 (Canceled)**

**Claim 38 (Previously Presented):** The method of Claim 30 wherein the applying is by lamination.

**Claim 39 (Currently Amended):** The method of Claim 30 wherein the planarizing layer comprises a crosslinkable binder having a ~~number~~ weight average molecular weight of about 20,000 to about 110,000.

**Claim 40 (Previously Presented):** A liquid crystal display comprising a color filter, wherein the color filter comprises a color image prepared by the process of Claim 30.

**Claims 41 – 42 (Canceled).**

**Claim 43 (Previously Presented):** The liquid crystal display of Claim 40 wherein the color filter comprises a glass substrate.

**Claim 44 (Original):** The liquid crystal display of Claim 43 wherein the glass substrate has a preformed black mask pattern thereon.

Application No.: 10/511,856  
Docket No.: CL1936USPCT

Page 6

Claim 45 (Previously Presented): The liquid crystal display of Claim 44 wherein the color filter has at least three color images thereon.

Claim 46 (Original): The liquid crystal display of Claim 45 wherein the color images are red, blue and green.

Claim 47 (Previously Presented): The process of Claim 14, wherein the donor element further comprises a base element comprising a support and a heating layer.

Claim 48 (Previously Presented): The process of Claim 47, wherein the donor element further comprises an ejection or subbing layer between the support and the heating layer.

Claim 49 (Currently Amended): The process of Claim 14, wherein the crosslinkable binder in the thermally imageable layer is a polymer prepared by emulsion polymerization or solution polymerization.

Claim 50 (Currently Amended): The process of Claim 49 wherein the crosslinkable binder in the thermally imageable layer is prepared from monomers selected from the group consisting of acrylic acid and esters, methacrylic acid and esters, and styrene.

Claim 51 (Previously Presented): The process of Claim 14 wherein the colorant is a pigment.

Claim 52 (Previously Presented): The process of Claim 51, wherein the pigment is selected from the group consisting of metal-containing phthalocyanines and halogenated derivatives, anthraquinones, pyrazolones, acetoacetyl monoazos, bisazos, and methines.

Application No.: 10/511,856

Docket No.: CL1936USPCT

Page 7

**Claim 53 (New):** A liquid crystal display comprising a color filter, wherein the color filter comprises a color image made by the method of Claim 14.